

HÖRMANN

Side Sliding Sectional Garage Doors

Features

PRACTICAL INNOVATION. INTUITIVE SOLUTIONS.



The side sliding sectional door has been developed for use in applications which have limited head room. This innovative solution consists of 42mm insulated panels and operates with a trip free threshold. Available in Micrograin, Duragrain and the Silkgrain finishes, this door can be automated and has the convenience of a custom handle for easy pedestrian access.



42-MM SANDWICH PANELS

The 42-mm-thick, PU-foamed sandwich panels are characterised by excellent acoustic and thermal insulation, in addition to good door leaf stability and smooth running.



SAFETY

PRECISE TRAVEL

PEDESTRIAN ACCESS

HÖRMANN

ELEGANCE OF THE SIDE SLIDING IN THREE STYLES



M-ribbed

Woodgrain- Traffic white RAL 9016 / 15 preferred colours
Sandgrain - Traffic white RAL 9016 / 3 preferred colours
Silkgrain - Traffic white RAL 9016 / 15 preferred colours
Duragrain - Golden Oak, Dark Oak / Titan Metallic CH 703



L-ribbed

Sandgrain - Traffic white RAL 9016 / 3 preferred colours
Silkgrain - Traffic white RAL 9016 / 15 preferred colours
Duragrain - Golden Oak, Dark Oak / Titan Metallic CH 703



Panelled

Woodgrain- Traffic white RAL 9016 / 15 preferred colours-
Duragrain - Golden Oak, Dark Oak / Titan Metallic CH 703



Glazing S0



Glazing S1



Glazing S2



HÖRMANN

Side Sliding
Sectional Garage
Doors

*Colour
& Finishes*

STRENGTH OF STEEL BEAUTY OF TIMBER

DECOGRAIN

L-ribbed / M-ribbed / Panelled


The UV-resistant timber-look coating over the galvanised steel surface guarantees a permanent attractive appearance. Available colours are:



Golden Oak



Dark Oak




Titan Metallic

SANDGRAIN

L-ribbed / M-ribbed


The unique texture of the Sandgrain finish delivers unequivocal contemporary design and cutting edge appearance.




Traffic White




Terra Brown



White Aluminium



Anthracite Grey



Product finishes and colours will vary due to the printing process and technology screen settings for digital viewing. These representations are not an exact match to actual product. For RAL colours, using these CMYK references is entirely your choice, and accuracy should be checked, before you commit to use the RAL colours. * RAL Classic colours, except for pearl-effect, fluorescent and metallic colours. ** Preferred colours for Sandgrain surface finish.

HÖRMANN

CONTEMPORARY THINKING TIMELESS STYLE

SILKGRAIN

L-ribbed / M-ribbed



Thanks to its elegant door appearance, the fine smooth Silkgrain surface finish is the first choice for modern architecture. A 50 % thicker exterior steel sheet on the panels delivers stability and a true flat and smooth finish.

WOODGRAIN

M-ribbed / S-ribbed / Panelled



This classic and traditional profile consists of an authentic sawn timber textured finish to the face of the door. Available in a broad range of colours, this versatile design is sure to compliment your home.

Standard Colours



- | | |
|------------------------------|--------------------------------|
| 1 RAL 9016 Traffic white | 9 RAL 7030 Stone grey |
| 2 RAL 9007 Grey aluminium | 10 RAL 7016 Anthracite grey ** |
| 3 RAL 9006 White aluminium** | 11 RAL 6009 Fir green |
| 4 RAL 8028 Terra brown** | 12 RAL 6005 Moss green |
| 5 RAL 8003 Clay brown | 13 RAL 5014 Pigeon blue |
| 6 RAL 8001 Ochre brown | 14 RAL 5011 Steel blue |
| 7 RAL 7040 Window grey | 15 RAL 3003 Ruby red |
| 8 RAL 7035 Light grey | 16 44 RAL 1015 Light ivory |



Product finishes and colours will vary due to the printing process and technology screen settings for digital viewing. These representations are not an exact match to actual product. For RAL colours, using these CMYK references is entirely your choice, and accuracy should be checked, before you commit to use the RAL colours. * RAL Classic colours, except for pearl-effect, fluorescent and metallic colours. ** Preferred colours for Sandgrain surface finish.